Video-based preventive education for reduction of the prejudice towards schizophrenia

Tomoe Kodaira

(Seirei Christopher University)
tomoe-k@seirei.ac.jp

Takehiko Ito (Wako University)
take@wako.ac.jp

The 1st International Nursing ResearchConference of World Academy of Nursing Science

2009/09/19 15:00-16:00

Kobe (Poster 100149)

Abstract

The traditional Japanese culture often stigmatizes schizophrenia patients and their families. Reduction of general people's prejudice toward schizophrenia is an important factor for the patients who try to live in the local community with sufficient quality of life. Reduction of the prejudice can be achieved by a short educational session.

The present study measured effects of a one-hour video education session to totally 198 undergraduate university students. The experimental conditions were randomly assigned: Group A: Patient narration video watching condition, Group B: Psychiatrist explanation video watching condition, and Group C: Urakawa-Bethel-House Video watching condition. The effects were measured by Attitude toward Mental Disorder Scale (AMD: Higashiguchi et al. 1997/ 2003) at the pre-test and the post-test.

The Social Distance Scale of AMD, which measures behavioral component of prejudice, was mildly improved in ever Group. However, the Patient Image Subscale of AMD, which measures cognitive component of prejudice, was differently improved among Group A, B and C. Group C made largest progress of reduction of prejudice in the bad image scale.

The influential effects of patients' concrete presentation of their way of life by their own narratives are crucial for prejudice reduction education.

Schizophrenia in Japan

- 734 thousand patients in Japan (2002)
 (=0.57% of total population)
- In 2002, the Japanese Society of Psychiatry and Neurology (JSPN) and the national family organization, Zenkaren, succeeded in changing the name of 'schizophrenia in order to diminish its stigmatizing effect. The event was unprecedented. There is no other example of a joint effort by psychiatrists and family members to change the name of an illness to reduce the stigma associated with it.
- Change of the name From 精神分裂病(spirit disruption disease)
 ↓(2002)
- To 統合失調症(thought integration disorder)

Purpose

The traditional Japanese culture often stigmatizes schizophrenia patients and their families. Reduction of general people's prejudice toward schizophrenia is an important factor for the patients who try to live in the local community with sufficient quality of life. Reduction of the prejudice can be achieved by a short educational session.

Method


- The present study measured effects of a one-hour video education session to undergraduate university students.
- Two types of experimental conditions were randomly assigned in Experiments 1 and 2:
- Group A: Patient narration video watching
- Group B: Psychiatrist explanation video watching.
 - In Experiment 3, one group was assigned:
- Group C: Urakawa-Bethel-House Video watching condition.
- The effects were measured by Attitude toward Mental Disorder Scale (AMD: Higashiguchi et al. 1997/ 2003) at the pre-test and the post-test.


Results of Experiment 1

- Fig. 1 shows decline of prejudice by AMD two subscales: (1) social distance scale and (2) bad image subscale
- In social distance scale, both group significantly reduced prejudice
- In bad image scale, only Group A₁ (discourse group) had significantly reduced prejudice.
 70% of the subjects reduced this cognitive component of prejudice.



Image Subscale






- Group A1: Patient discourse condition (n=40)
- Group B₁: Psychiatrist explanation condition (n=42)
 Fig.1 Experiment 1 prejudice toward schizophrenia

Results of Experiment 2

- Fig. 2 shows decline of prejudice by AMD two subscales: (1) social distance scale and (2) bad image subscale
- In social distance scale, both groups did not significantly reduce prejudice.
- In bad image scale, only Group A₁ (discourse group) had significantly reduced prejudice.
 85% of the subjects reduced this cognitive component of prejudice.




Group A2: Patient discourse condition (n=33)

Group B2: Psychiatrist explanation condition (n=34)

Fig.2 Experiment 2: prejudice toward schizophrenia

Results of Experiment 3

- Fig. 3 shows decline of prejudice by AMD two subscales: (1) social distance scale and (2) bad image subscale. All the subjects were in Urakawa-Bethel-House Video watching condition.
- In social distance scale, this group significantly ★increased★ prejudice!
 26.5% of the subjects decreased prejudice,
 26.5% nochange, 55.1% increased.
- In bad image scale, this group had significantly reduced prejudice. 83.7% of the subjects reduced this cognitive component of prejudice.



—Group C: Bethel House discourse condition (n=49)

Fig.3 Experiment 3: Prejudice toward schizophrenia

Bad image: Cognitive component of prejudice

The Patient Image Subscale of AMD was improved in Group A and Group C.

The effect sizes were 0.89 in A_{1***}, 1.07 in A_{2***}, and 1.05 in C ***, while 0.12 in B_{1*} and 0.17 in B₂.

The importance of patients' concrete presentation by narratives is influential to change negative cognitive attitudes or bad images of schizophrenia patients.

Social distance: Behavioural component of prejudice

- The Social Distance Scale of AMD was significantly improved in Group A₁, slightly improved in Groups A₂, and B₁, but significantly aggravated in Group C.
- The effect sizes were 0.16 in A_{1*}, 0.20 in A₂, 0.23 in B₁, and 0.07 in B₂, while -0.29 in C.
- The importance of patients' concrete presentation by narratives is not applicable to change the negative behaviroual attitudes toward schizophrenia patients

Discussion 1: Summary

- The present study has clarified:
- (1) Even a short VTR watching can change people's attitude schizophrenia in a positive way.
- (2) Narrative contents and explanatory contens have different effects on change of attitude. Narrative contents can change images of schizophrenia.
- (3) Some VTR materials changes watchers' attitude negatively.

Discussion 2: Comparison with previous studies

As Link et al (1999) pointed out 61% of people have "perceived danger" (equivalent to "bad image" in this study)to schizophrenia, reduction of prejudice is important task. The present study shows that the change is possible with little time and cost.

Ritterfeld & Jin (2006) revealed the effect of movie watching toward attitude change. Even a shorter video have the similar effects.

Discussion 3: Limitation and perspectives

- Although this research consisted of three experiments, it has made it clear that contents of video have different effects on the change of attitude.
- Comparing this study with future studies on other minority prejudice reduction would contribute to the study of psychology of prejudice
- Effectiveness, efficacy, and accountability are necessary conditions of good prejudice reduction study. In this regard I propose EASES model for making an educational module.

EASES Model:

An accountable education model for reduction of prejudice

- 効: Effective results
- 楽: Amusing contents
- •安: Safety, sustainability, & economy
- 近: Easy access to materials
- ●短:Short time
- ★Efficiency= E×A×S×E×S
- ★Accountability= E+A+S+E+S

効: Effective results:

- Evaluation of an education session can be done in the three fields
- (1) Increase of Knowledge
- (2) Change of attitude
 (awareness formation or prejdice reduction)
- (3)Formation of skills

樂: Amusing contents/ entertainment

- (1) Interesting contents
- (2) evocation of interest
- "I want to watch more videos of this kind."
- (3) satisfaction and richness of time

These conditions are extremely important to be used as teaching materials in nursing education.

安: Safe, secure, sustainable, & economical

- (1) Safety and security: non-invasive,
- (2) Sustainability assures repeatability and reproducibility
- (3) Economic efficiency (non-expensive) means that the education cost is minimal and it needs no special devices.

近: Easy access to materials

- For audience/students, prejudice reduction education must be easy to access for the audience.
- For teachers/ education providers, prejudice reduction education must be easy to implement, without special skills nor experiences.

短:Short time

- A video session should be so short that it can be incorporated as a part of the whole educational program, such as a class in schools.
- Educational program tend to be boring.
 Long video might distract audience's interest.
- If the effectiveness is similar, the shorter a video, the more accountability.

References

- 北岡(東口)和代 (2001) 精神障害者への態度に及ぼす接触体験の効果 精リハ誌, 5 (2), 142-147. (Kitaoka-Higashiguchi, K. (2001) Effects of contact experiences on attitudes toward the mentally disordered. *Japanese Journal of Psychiatric Rehabilitation*, 5 (2), 142-147.)
- Ritterfeld, U & Jin, S-A. (2006) Addressing media stigma for people experiencing mental illness using an entertainment-education strategy. Journal of Health Psychology. 11, 247-267.
- Sartorius, N., & Schulze, H. (2005). Reducing the stigma of mental illness. Cambridge University Press.
- World Psychiatric Association (2002).
 Schizophrenia: Open the door. Author (こころの扉を開く 医学書院 2002)